# dynamic BIOSENSORS

## Safety Data Sheet

according to UK REACH Regulation

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

10 x PE140 pH 7.4

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Use as laboratory reagent

The product is intended for research, analysis and scientific education.

## Uses advised against

Any non-intended use.

## 1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	Dynamic Biosensors GmbH Perchtinger Str. 8/10 D-81379 München	
Telephone: Responsible Department:	+49-89-8974544-0 Dr. Gans-Eichler Chemieberatung GmbH Otto-Hahn-Str. 36 D-48161 Münster	e-mail: info@tge-consult.de Tel.: +49(0)2534 6441185 www.tge-consult.de
1.4. Emergency telephone	Emergency CONTACT (24-H	our-Number): GBK GmbH +49 (0)6132-84463

## 1.4. Emergency telephone

number:

## **Further Information**

Safety Data Sheet according to UK-REACH Regulation

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

## 2.2. Label elements

## **GB CLP Regulation**

EUH210

## Special labelling of certain mixtures

Safety data sheet available on request.

## 2.3. Other hazards

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to UK REACH This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
139-33-3	disodium dihydrogen ethylenediam	disodium dihydrogen ethylenediaminetetraacetate		
	205-358-3		01-2119486775-20	
	Acute Tox. 4, STOT RE 2; H332 H373			

Full text of H and EUH statements: see section 16.



## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 2 of 11

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
139-33-3	205-358-3	disodium dihydrogen ethylenediaminetetraacetate	=< 2,5 %
	inhalation: AT 2800 mg/kg	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =	

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to UK REACH.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides. Nitrogen oxides (NOx).

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 3 of 11

## General advice

Safe handling: see section 7

## For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 20°C Protect against: frost. UV-radiation/sunlight. heat. Humidity

#### 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### DNEL/DMEL values

CAS No Substance



## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 4 of 11

DNEL type E		Exposure route	Effect	Value
139-33-3	disodium dihydrogen ethylenediaminetetraacetate		·	
Worker DNEL,	long-term	inhalation	local	1,5 mg/m³
Worker DNEL,	long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL,	acute	inhalation	local	3 mg/m³
Worker DNEL,	acute	inhalation	systemic	3 mg/m³
Consumer DNE	EL, long-term	inhalation	local	0,6 mg/m³
Consumer DNE	EL, long-term	inhalation	systemic	1,5 mg/m³
Consumer DNE	EL, acute	inhalation	local	1,2 mg/m³
Consumer DNE	EL, acute	inhalation	systemic	1,5 mg/m³
Consumer DNE	EL, long-term	oral	systemic	25 mg/kg bw/day

## **PNEC** values

CAS No	Substance				
Environmenta	al compartment	Value			
139-33-3	139-33-3 disodium dihydrogen ethylenediaminetetraacetate				
Freshwater		2,5 mg/l			
Freshwater (i	reshwater (intermittent releases) 1,2 mg/l				
Marine water 0,25 mg/l					
Marine water (intermittent releases) 1,2 mg/l					
Micro-organisms in sewage treatment plants (STP) 50 mg/l					
Soil 1,1 mg/kg					

## Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

## Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 5 of 11

## EN ISO 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS

500 (D).

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

## **Environmental exposure controls**

No special precautionary measures are necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	not determined
Changes in the physical state	
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	not determined
boiling range: Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	not determined
Flammability	
Solid/liquid:	not determined
Gas:	not relevant
Explosive properties none	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Self-ignition temperature	
Solid: Gas:	not relevant not relevant
	not determined
Decomposition temperature: pH-Value (at 20 °C):	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Water solubility:	completely miscible
Solubility in other solvents not determined	
Dissolution rate:	not relevant

	10 x PE140 pH 7.4	
Revision date: 08.12.2022	Product code: BU-PE-140-10	Page 6 of 11
Dispersion stability:	not relevant	
Vapour pressure: (at 20 °C)	23 hPa	
Density (at 20 °C):	1,0666 g/cm³	
Bulk density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Information with regard to physical h	azard classes	
Sustaining combustion:	Not sustaining combustion	
Oxidizing properties none		
Other safety characteristics		
Solvent separation test:	not determined	
Solvent content:	Water: 89,2%	
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

## 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

## 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

## 10.6. Hazardous decomposition products

Does not decompose when used for intended uses. Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides. Nitrogen oxides (NOx).

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available.

## Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
139-33-3	disodium dihydrogen ethy	lenediaminetetraacetate			



## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 7 of 11

	oral	LD50 mg/kg	2800	Rat	ECHA Dossier	
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available.

## 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
139-33-3	disodium dihydrogen ethy	lenediamin	etetraacetate					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 60		Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity EC50 > 114 mg/l	> 114	48 h Daphnia magna	ECHA Dossier	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	>= 25,7	35 d	Danio rerio	ECHA Dossier	OECD Guideline 210	
	Crustacea toxicity	NOEC	25 mg/l	21 d	Daphnia magna	ECHA Dossier	EEC Guideline XI/681/86	

## 12.2. Persistence and degradability

The product has not been tested.



## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 8 of 11

CAS No	Chemical name					
	Method		Value	d	Source	
	Evaluation	-				
139-33-3	disodium dihydrogen ethylenediaminetetraacet	tate				
	OECD		>60	60	ECHA Dossier	
	inherently biodegradable					

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
139-33-3	disodium dihydrogen ethylenediaminetetraacetate	-4,3

#### BCF

CAS No	Chemical name	BCF	Species	Source
	disodium dihydrogen ethylenediaminetetraacetate	ca. 1,8	Lepomis macrochirus	ECHA Dossier

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

## 12.7. Other adverse effects

No data available.

## Further information

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

## List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 9 of 11

## List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Refer to section 6 - 8 14.7. Maritime transport in bulk according to IMO instruments not relevant

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

2010/75/EU (VOC):	
2004/42/EC (VOC):	
Information according to 2012/18/EU	
(SEVESO III):	

No information available. No information available. Not subject to 2012/18/EU (SEVESO III)

## Additional information

Safety Data Sheet according to UK-REACH Regulation The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. UK REACH Appendix XVII, No (mixture): not relevant

# dynamic BIOSENSORS

## **Safety Data Sheet**

## according to UK REACH Regulation

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 10 of 11

## National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: disodium dihydrogen ethylenediaminetetraacetate

## **SECTION 16: Other information**

#### Changes

Rev. 1.0; Initial release: 05.07.2021 Rev. 2.0; 08.12.2022; Changes in chapter: 1,16

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: dav(s) EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds

## Relevant H and EUH statements (number and full text)

H33 H37 EUF	3	Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. Safety data sheet available on request.
1100	•	
H33	2	Harmful if inhaled.
H37	3	May cause damage to organs through prolonged or repeated exposure.
	10.1.0	
EUF	1210	Safety data sheet available on request.
		· ·

## dynamic BIOSENSORS

## Safety Data Sheet

## according to UK REACH Regulation

## 10 x PE140 pH 7.4

Revision date: 08.12.2022

Product code: BU-PE-140-10

Page 11 of 11

## **Further Information**

Classification according to GHS [UK CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)