

according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

10 x PE40 pH 7.4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Dynamic Biosensors GmbH Street: Perchtinger Str. 8/10 Place: D-81379 München Telephone: +49-89-8974544-0

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49(0)2534 6441185 Otto-Hahn-Str. 36 www.tge-consult.de

D-48161 Münster

1.4. Emergency telephone

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

number:

Further Information

Safety Data Sheet according to UK-REACH Regulation

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to UK REACH This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity			
	EC No Index No REACH No				
	GHS Classification				
139-33-3	disodium dihydrogen ethylenedi	disodium dihydrogen ethylenediaminetetraacetate			
	205-358-3	205-358-3 01-2119486775-20			
	Acute Tox. 4, STOT RE 2; H332 H373				

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 2 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
139-33-3	205-358-3	disodium dihydrogen ethylenediaminetetraacetate	=< 2,5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =		
	2800 mg/kg		

Further Information

Product does not contain listed SVHC substances > 0,1 % according to UK REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides. Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 3 of 11

General advice

Safe handling: see section 7

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No Substance	
------------------	--



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 4 of 11

DNEL type		Exposure route	Effect	Value
139-33-3	disodium dihydrogen ethylenediaminetetraacetate			
Worker DNEL,	long-term	inhalation	local	1,5 mg/m³
Worker DNEL,	long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL,	acute	inhalation	local	3 mg/m³
Worker DNEL,	acute	inhalation	systemic	3 mg/m³
Consumer DNE	EL, long-term	inhalation	local	0,6 mg/m³
Consumer DNE	EL, long-term	inhalation	systemic	1,5 mg/m³
Consumer DNE	EL, acute	inhalation	local	1,2 mg/m³
Consumer DNEL, acute		inhalation	systemic	1,5 mg/m³
Consumer DNE	EL, long-term	oral	systemic	25 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmen	Environmental compartment			
139-33-3	disodium dihydrogen ethylenediaminetetraacetate			
Freshwater	Freshwater 2,5 mg/l			
Freshwater	Freshwater (intermittent releases) 1,2 mg/l			
Marine wate	0,25 mg/l			
Marine wate	Marine water (intermittent releases)			
Micro-organ	Micro-organisms in sewage treatment plants (STP)			
Soil	Soil 1			

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 5 of 11

EN ISO 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless
Odour threshold: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

not determined boiling range:

Sublimation point: not determined
Softening point: not determined
Pour point: not determined
Flash point: not determined

Flammability

Solid/liquid: not determined
Gas: not relevant

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature:

not determined

Self-ignition temperature

Solid: not relevant Gas: not relevant Decomposition temperature: not determined pH-Value (at 20 °C): 7,4 Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Water solubility: completely miscible

Solubility in other solvents

not determined

Dissolution rate: not relevant
Partition coefficient n-octanol/water: SECTION 12: Ecological information



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 6 of 11

Dispersion stability: not relevant
Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,0277 g/cm³
Bulk density: not determined
Relative vapour density: not determined
Particle characteristics: not relevant

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: Not sustaining combustion

Oxidizing properties

none

Other safety characteristics

Solvent separation test:

Solvent content:

Water: 94,9%

Solid content:

Evaporation rate:

not determined

not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides. Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
139-33-3	disodium dihydrogen ethylenediaminetetraacetate					
		l	l	I	l l	



according to UK REACH Regulation

	10 x PE40 pH 7.4								
ı	Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 7 of								
	oral	LD50 mg/kg	2800	Rat	ECHA Dossier				
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
139-33-3	disodium dihydrogen ethy	disodium dihydrogen ethylenediaminetetraacetate							
	Acute fish toxicity LC50 > 100 96 h Oncorhynchus mykiss ECHA Dossier OECD Gu						OECD Guideline 203		
	Acute algae toxicity	ErC50 > 60 mg/l		72 h Pseudokirchneriella subcapitata		ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 114	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	>= 25,7	35 d	Danio rerio	ECHA Dossier	OECD Guideline 210		
	Crustacea toxicity	NOEC	25 mg/l	21 d	Daphnia magna	ECHA Dossier	EEC Guideline XI/681/86		

12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 8 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
139-33-3	disodium dihydrogen ethylenediaminetetraacetate						
	OECD	>60	60	ECHA Dossier			
	inherently biodegradable						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
139-33-3	disodium dihydrogen ethylenediaminetetraacetate	-4,3

BCF

CAS No	Chemical name	BCF	Species	Source
139-33-3	disodium dihydrogen ethylenediaminetetraacetate	ca. 1,8	Lepomis macrochirus	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16

05 08

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16

05 08



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 9 of 11

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

UK REACH Appendix XVII, No (mixture): not relevant



according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 10 of 11

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: disodium dihydrogen ethylenediaminetetraacetate

SECTION 16: Other information

Changes

Rev. 1.0: Initial release: 05.07.2021

Rev. 2.0; 08.12.2022; Changes in chapter: 1,16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH210 Safety data sheet available on request.





according to UK REACH Regulation

10 x PE40 pH 7.4

Revision date: 08.12.2022 Product code: BU-PE-40-10 Page 11 of 11

Further Information

Classification according to GHS [UK CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)